



Steven L. Beshear
Governor

Leonard K. Peters
Secretary
Energy and Environment Cabinet

Commonwealth of Kentucky
Public Service Commission
211 Sower Blvd
P O Box 615
Frankfort, Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

David L. Armstrong
Chairman

James Gardner
Vice-Chairman

John W. Clay
Commissioner

December 15, 2008

Phillip Dae, Chairman
Ledbetter Water District
P.O. Box 123
Ledbetter, KY 42058-0123

RE: Case No. 2008-00498
Ledbetter Water District – General Rates
Filing Deficiencies

The Commission staff has reviewed Ledbetter Water District's application in the above case. This filing is rejected for the reasons set forth below:

- (1) Filing deficiencies pursuant to 807 KAR 5.001, Section 10(1)(b)(2) – No Annual Report for 2007 on file with the Commission.
- (2) Filing deficiencies pursuant to 807 KAR 5.001, Section 10(6)(r) – Monthly managerial reports providing financial results for 12 months in test period.

The statutory time period in which the Commission must process this case will not commence until the above-mentioned information is filed with the Commission. If your filing contains a proposed effective date, the rejection of your filing for reasons of deficiencies voids that proposed effective date. When you file the required information to correct the deficiencies, you may refile your proposed tariff with a new proposed effective date that is at least 30 days from the date you file the required information. You are requested to file 10 copies of this information within 15 days of the date of this letter.

If you need further assistance, please contact Mark Frost at 502-564-3940 ext. 274 or Virginia Gregg at 502-564-3940 ext 407.

Sincerely,

Ryan Gatewood
Filings Division Director

RG/rs
Enclosure